List of Tables

Empirical Data and Thanatological Perspectives on Ba`ja's Late PPNB Sepulchral Environments: a Synthesis

Table		Distribution of raw materials of main bead and pendant types in all investigated burials.							
Table		Distribution of objects inside and embedded in the grave cover.	29						
Table		Eventology and credit assessment according to workload per grave construction.	37						
Table		Eventology and assessment according to workload per grave 'goods' and ritual.	38						
Table		Estimation of time and effort for the burial constructions.	39						
Table	6	Estimation of time and effort for burial rituals and grave 'goods'.	40						
"Dom	"Domesticating" Death: the Burial Contexts								
Table	1	Overview of all burials excavated between 2000 and 2019 at Ba`ja.	74						
Table		Description of loci related to Burial CG2.	79						
Table		Levels of Burial CG2.	81						
Table		Objects found in the grave pit Loc. CR5:51.	81						
Table		Reconstruction of the burial ritual of Burial CG2 in Room CR5.	82						
Table		Description of loci related to Burial CG3.	84						
Table		Levels of Burial CG3.	84						
Table	8	Objects found in relation to the Burial CG3.	84						
Table	9	Reconstruction of the events/ activities related to the burial ritual of Burial CG3 in							
		Room CR5.	85						
Table	10	Description of loci related to Burial CG4.	88						
Table	11	Levels related to Burial CG4.	89						
Table	12	Objects found in the Burial CG4.	90						
Table	13	Reconstruction of the events/ activities related to the burial ritual of Burial CG4 in Room CR6.	90						
Table	14	Description of loci related to the sequence of Burials CG5 and CG6.	92						
		Levels of Burials CG5 and CG6.	94						
		Objects found in the Burial CG5 or associated with Loc. CR6:23a/b.	96						
		BJ 19a, beads of the ornament (bracelet?) of CR6:23a.	97						
		Objects found in Burial CG6.	101						
		BJ 19a, bone beads of the bracelet of Loc. CR6:41a.	103						
		Reconstruction of the events/ activities related to the burial ritual of Burials CG5/6 in	105						
1 010		Room CR6.	104						
Table	21	Description of loci related to Burial CG7.	112						
		Levels of Burial CG7.	113						
		Objects related to Burial CG7.	115						
		Sequence of events related to Burial CG7.	121						
		Description of loci related to Burial CG8.	121						
		Levels of Burial CG8.	121						
Table	27	Radiocarbon data from the double infant Burial CG8 (Loc. C10:405) and the primary							
		adult Burial CG10 (Loc. C10:408).	123						
Table	28	Suggested sequence of events for the burial ritual of Burial CG8 in Room CR35.	124						
Table	29	Description of loci related to Burial CG10.	125						
		Levels of Burial CG10.	127						
		Eco- and artefacts related to Burial CG10.	128						
		Suggested sequence of events for the burial ritual of Burial CG10 in Room CR35.	132						
		Description of loci related to Burial DG2.	133						
		Levels of Burial DG2.	133						
		Objects related to Burial DG2.	134						
Table	36	Burial events related to Burial DG2.	135						

Table	37	Loci related to Burial TU7G1:5.	136
Table	38	Levels of Burial TU7G1.	136
Table	39	Objects possibly related to Burial TU7G1 (Loc. TU7:6).	138
Table	40	Suggested sequence of events for the Burial TU7G1 in Trench TU7.	138
Table	41	Loci related to Burial DG1.	140
Table	42	Levels related to the collective Burial DG1.	141
Table	43	Objects related to Burial DG1 and to the "floor"/ grave cover (?) Loc. D11/12/21/22:21.	144
		Suggested sequence of events for the burial ritual of Burial DG1 in Room DR26.2.	147
		Loci related to the collective/ multiple Burial CG9.	150
		Levels related to the multiple/ collective Burial CG9.	150
		Number of bead and pendant raw material classes associated with the three subadults	
		in the Burial CG9.	155
Table	48	Objects found in the grave pit Loc. CR28.2:111.	159
		Different possible scenarios for the supposed multiple Burial CG9.	160
		Sequence of events related to Burial CG9.	161
		Loci related to the collective Burial CG12.	163
		Measurements of levels for the collective Burial CG12.	163
		Objects related to the collective Burial CG12.	167
		Loci related to the collective Burial CG1.	170
		Levels of the collective Burial CG1.	170
		Objects related to the collective Burial CG1.	174
		Sequence of ritual events for the collective Burial CG1.	175
		Loci related to the sequence of collective Burials CG11.	177
		Levels for the sequence of collective Burials CG11 in Room CR17.	179
		Objects related to the sequence of collective Burials CG11 in Room CR17.	185
		Results of the radiocarbon date of the so far, most ancient burial phase	
		(Loc. CR17:117b [2018]).	189
Huma	ın R	emains from Areas C and D: Morphological and Palaeopathological Investigations	
т 11			
Lable	1	T 1 '1	
Table	1	Ten burials comprising 16 individuals found in Areas C and D during the excavation	202
		seasons 2016, 2018, and 2019.	202
Table		seasons 2016, 2018, and 2019. Representation (repr.) in % of the whole skeleton, their preservation (ranging from	202
		seasons 2016, 2018, and 2019. Representation (repr.) in % of the whole skeleton, their preservation (ranging from relatively solid to very fragile), and the surface composition (ranging from good to	
Table	2	seasons 2016, 2018, and 2019. Representation (repr.) in % of the whole skeleton, their preservation (ranging from relatively solid to very fragile), and the surface composition (ranging from good to severely eroded).	203
Table Table	2	seasons 2016, 2018, and 2019. Representation (repr.) in % of the whole skeleton, their preservation (ranging from relatively solid to very fragile), and the surface composition (ranging from good to severely eroded). All skeletons and additional bones and their affecting taphonomic agents.	203 206
Table Table Table	2 3 4	seasons 2016, 2018, and 2019. Representation (repr.) in % of the whole skeleton, their preservation (ranging from relatively solid to very fragile), and the surface composition (ranging from good to severely eroded). All skeletons and additional bones and their affecting taphonomic agents. Pathological changes of the cranium.	203 206 209
Table Table Table Table	2 3 4 5	seasons 2016, 2018, and 2019. Representation (repr.) in % of the whole skeleton, their preservation (ranging from relatively solid to very fragile), and the surface composition (ranging from good to severely eroded). All skeletons and additional bones and their affecting taphonomic agents. Pathological changes of the cranium. Pathological dental features of all individuals with preserved teeth.	203 206 209 211
Table Table Table	2 3 4 5	seasons 2016, 2018, and 2019. Representation (repr.) in % of the whole skeleton, their preservation (ranging from relatively solid to very fragile), and the surface composition (ranging from good to severely eroded). All skeletons and additional bones and their affecting taphonomic agents. Pathological changes of the cranium.	203 206 209
Table Table Table Table	2 3 4 5	seasons 2016, 2018, and 2019. Representation (repr.) in % of the whole skeleton, their preservation (ranging from relatively solid to very fragile), and the surface composition (ranging from good to severely eroded). All skeletons and additional bones and their affecting taphonomic agents. Pathological changes of the cranium. Pathological dental features of all individuals with preserved teeth.	203 206 209 211
Table Table Table Table	2 3 4 5 6	seasons 2016, 2018, and 2019. Representation (repr.) in % of the whole skeleton, their preservation (ranging from relatively solid to very fragile), and the surface composition (ranging from good to severely eroded). All skeletons and additional bones and their affecting taphonomic agents. Pathological changes of the cranium. Pathological dental features of all individuals with preserved teeth. Pathological features and variations of the postcranium.	203 206 209 211
Table Table Table Table Table Non-M	2 3 4 5 6	seasons 2016, 2018, and 2019. Representation (repr.) in % of the whole skeleton, their preservation (ranging from relatively solid to very fragile), and the surface composition (ranging from good to severely eroded). All skeletons and additional bones and their affecting taphonomic agents. Pathological changes of the cranium. Pathological dental features of all individuals with preserved teeth. Pathological features and variations of the postcranium.	203 206 209 211
Table Table Table Table Table Non-M	2 3 4 5 6	seasons 2016, 2018, and 2019. Representation (repr.) in % of the whole skeleton, their preservation (ranging from relatively solid to very fragile), and the surface composition (ranging from good to severely eroded). All skeletons and additional bones and their affecting taphonomic agents. Pathological changes of the cranium. Pathological dental features of all individuals with preserved teeth. Pathological features and variations of the postcranium.	203 206 209 211
Table Table Table Table Table Non-M	2 3 4 5 6	seasons 2016, 2018, and 2019. Representation (repr.) in % of the whole skeleton, their preservation (ranging from relatively solid to very fragile), and the surface composition (ranging from good to severely eroded). All skeletons and additional bones and their affecting taphonomic agents. Pathological changes of the cranium. Pathological dental features of all individuals with preserved teeth. Pathological features and variations of the postcranium.	203 206 209 211
Table Table Table Table Table Table Table	2 3 4 5 6	seasons 2016, 2018, and 2019. Representation (repr.) in % of the whole skeleton, their preservation (ranging from relatively solid to very fragile), and the surface composition (ranging from good to severely eroded). All skeletons and additional bones and their affecting taphonomic agents. Pathological changes of the cranium. Pathological dental features of all individuals with preserved teeth. Pathological features and variations of the postcranium. Fic Traits of Deciduous and Permanent Dentitions of Ten Non-Adult ls from Area C	203 206 209 211
Table Table Table Table Table Table Table	2 3 4 5 6	seasons 2016, 2018, and 2019. Representation (repr.) in % of the whole skeleton, their preservation (ranging from relatively solid to very fragile), and the surface composition (ranging from good to severely eroded). All skeletons and additional bones and their affecting taphonomic agents. Pathological changes of the cranium. Pathological dental features of all individuals with preserved teeth. Pathological features and variations of the postcranium. Fic Traits of Deciduous and Permanent Dentitions of Ten Non-Adult ls from Area C Numbers of deciduous and permanent teeth of ten non-adults present for investigation of non-metric traits.	203 206 209 211 214
Table Table Table Table Table Table Table	2 3 4 5 6 Metridua 1	seasons 2016, 2018, and 2019. Representation (repr.) in % of the whole skeleton, their preservation (ranging from relatively solid to very fragile), and the surface composition (ranging from good to severely eroded). All skeletons and additional bones and their affecting taphonomic agents. Pathological changes of the cranium. Pathological dental features of all individuals with preserved teeth. Pathological features and variations of the postcranium. Fic Traits of Deciduous and Permanent Dentitions of Ten Non-Adult ls from Area C Numbers of deciduous and permanent teeth of ten non-adults present for	203 206 209 211 214
Table Table Table Table Table Table Table Table Table	2 3 4 5 6 Metridua 1	seasons 2016, 2018, and 2019. Representation (repr.) in % of the whole skeleton, their preservation (ranging from relatively solid to very fragile), and the surface composition (ranging from good to severely eroded). All skeletons and additional bones and their affecting taphonomic agents. Pathological changes of the cranium. Pathological dental features of all individuals with preserved teeth. Pathological features and variations of the postcranium. Fic Traits of Deciduous and Permanent Dentitions of Ten Non-Adult Is from Area C Numbers of deciduous and permanent teeth of ten non-adults present for investigation of non-metric traits. Non-metric traits in deciduous and permanent dentition.	203 206 209 211 214
Table Table Table Table Table Table Table Table Table	2 3 4 5 6 Metridua 1 2 3	seasons 2016, 2018, and 2019. Representation (repr.) in % of the whole skeleton, their preservation (ranging from relatively solid to very fragile), and the surface composition (ranging from good to severely eroded). All skeletons and additional bones and their affecting taphonomic agents. Pathological changes of the cranium. Pathological dental features of all individuals with preserved teeth. Pathological features and variations of the postcranium. Fic Traits of Deciduous and Permanent Dentitions of Ten Non-Adult ls from Area C Numbers of deciduous and permanent teeth of ten non-adults present for investigation of non-metric traits. Non-metric traits in deciduous and permanent dentition. Number of observable and present non-metric traits of the permanent dentition per	203 206 209 211 214 262 262 263
Table Table Table Table Table Non-M Indivi Table Table Table Table	2 3 4 5 6 Metridua 1 2 3	seasons 2016, 2018, and 2019. Representation (repr.) in % of the whole skeleton, their preservation (ranging from relatively solid to very fragile), and the surface composition (ranging from good to severely eroded). All skeletons and additional bones and their affecting taphonomic agents. Pathological changes of the cranium. Pathological dental features of all individuals with preserved teeth. Pathological features and variations of the postcranium. Fice Traits of Deciduous and Permanent Dentitions of Ten Non-Adult Is from Area C Numbers of deciduous and permanent teeth of ten non-adults present for investigation of non-metric traits. Non-metric traits in deciduous and permanent dentition. Number of observable and present non-metric traits of the permanent dentition per individual. Number of observable and present non-metric traits of the deciduous dentition per individual.	203 206 209 211 214
Table Table Table Table Table Table Table Table Table	2 3 4 5 6 Metridua 1 2 3	seasons 2016, 2018, and 2019. Representation (repr.) in % of the whole skeleton, their preservation (ranging from relatively solid to very fragile), and the surface composition (ranging from good to severely eroded). All skeletons and additional bones and their affecting taphonomic agents. Pathological changes of the cranium. Pathological dental features of all individuals with preserved teeth. Pathological features and variations of the postcranium. Fic Traits of Deciduous and Permanent Dentitions of Ten Non-Adult Is from Area C Numbers of deciduous and permanent teeth of ten non-adults present for investigation of non-metric traits. Non-metric traits in deciduous and permanent dentition. Number of observable and present non-metric traits of the permanent dentition per individual. Number of observable and present non-metric traits of the deciduous dentition per	203 206 209 211 214 262 262 263

The Archaeogenetic Evidence

Table Table		Summary information of the genetic screening from Ba'ja. Summary of genetic sexing, contamination, genome-wide SNP coverage, and	276277
Table	3	uniparental haplogroup assignment. Summary with the most informative f_4 -statistics for Pre-Pottery Neolithic (PPN) Ba'ja individuals.	281
Local	Peo	ple or Masked Mobility: Results of Strontium Isotope Analysis of Human Teeth	
Table Table Table Table	2 3	⁸⁷ Sr/ ⁸⁶ Sr ratios of the NBS 987 standard run with the samples. Sample IDs of human teeth from Ba'ja for strontium isotope analyses. Sample IDs of animal teeth and bones from Ba'ja for strontium isotope analyses. Ranges of strontium isotope ratios of major archaeological sites in the central and southern Levant.	294 295 298 299
Histota	aph	onomy Report	
Table Table Table	2	Geochemical analyses of the burial filling sand (Loc. CR6:43) of Burial CG6 and some concretions in the grave filling (Loc. CR6:38/39). Description of microbial indicators, their causes, and interpretations. Taphonomic scoring for each sample from Ba`ja.	311 312 313
Evider	nce	for the Use of Baskets, Mats, and Painted Plaster from a Double Child Burial	
Table Table Table Table	2 3	Structure and composition of painted clay plaster Type 1. Structure and composition of painted clay plaster Type 2. Structure and composition of painted lime plaster Type 1. Structure and composition of painted lime plaster Type 2.	328 329 331 332
The U	se o	of Red Pigments: Colour-Coded Territories	
Table Table		Red's etho-ontological frameworks and disciplinary fields. Preserved and currently known contextual/ activities and commodification evidence of red pigments in Ba'ja.	344 361
Sepulc	chra	al Commodification: the Rituality of the Ba`ja Daggers	
Table	1	Ba'ja Daggers: information on dimensions, raw materials, shapes, and impacts.	380
Fauna	l R	emains in Burial Contexts	
Table Table Table	2	Faunal remains from burial contexts. Taxonomic distribution. Taxonomic distribution per burial context. Epiphyseal fusion data for sheep (<i>Ovis aries</i>), goats (<i>Capra hircus</i>), and sheep/ goat (<i>Ovis aries</i> / <i>Capra hircus</i>) in burial contexts.	394 395 396
Table Table Table	5	Tooth wear stages for sheep (<i>Ovis aries</i>), goat (<i>Capra hircus</i>), and sheep/ goat (<i>Ovis aries</i> / <i>Capra hircus</i>) in burial contexts. Ba'ja, burial contexts. Modifications: marks of butchery/ dissection/ food processing. Ba'ja, burial contexts. Modifications: traces of fire.	397 399 400

Elements of Ornaments in Non-Burial Contexts: Investigations on Raw-Materials, Production, and Use-Wear

1	Assemblage of investigated ornamental items from Ba ja, excluding burial finds.	405
		407
3		
		410
4	Identified morphotypes and their frequency within the studied assemblage according	
	to the material category.	412
5	Identified piercing techniques of shell beads sorted per taxonomic family.	416
6	Distribution of finished objects, raw materials, and technical pieces of the	
	investigated assemblage according to the excavated areas.	431
•al (Contextual Evaluation of Ornamental Elements	
ai v	Contextual Evaluation of Offiamental Elements	
1	Number of ornament elements distributed in different context types, segregated	
_		442
		443
3		
		445
4		
_		447
5		4.40
	outside burial contexts, sorted according to main mineral taxa.	448
ts o	f XRF-Analyses and Thin Sections of Raw Materials from Beads	
1	Chemical composition of turquoise beads.	459
		460
		467
		107
•		468
5		469
	1 "	
la's	"Nacklace: Study and Reconstruction of a Compley Ornament Found in	
	•	
1		405
		485
		489
	<u> </u>	495
		499
5		
_		502
6		.
_		503
7		= 0.4
	to be integrated.	504
_		
1	Classification of beads according to their state of preservation.	520
	2 3 4 5 6 1 2 3 4 5 6 12 3 4 5 6 7 Gead cep	2 Shell species identified and frequency of specimen within the studied assemblage. 3 Frequency of specimens according to the identified minerals and the state of transformation of the studied assemblage. 4 Identified morphotypes and their frequency within the studied assemblage according to the material category. 5 Identified piercing techniques of shell beads sorted per taxonomic family. 6 Distribution of finished objects, raw materials, and technical pieces of the investigated assemblage according to the excavated areas. 7 Identified piercing techniques of shell beads sorted per taxonomic family. 6 Distribution of finished objects, raw materials, and technical pieces of the investigated assemblage according to the excavated areas. 7 Identified promatent elements distributed in different context types, segregated according to main raw materials. 7 In Number of ornament elements distributed in different context types, segregated according to main raw materials. 8 Distribution of shell ornaments outside burial contexts, sorted according to main shell species. 9 Spatial distribution of mineral based beads, pendants, and marl "ear plugs/ tokens" outside burial contexts, sorted according to main mineral taxa. 1 Chemical composition of mineral based beads. 2 Chemical composition of turquoise beads. 3 Chemical composition of chrysocolla and amazonite beads. 4 Comparison of Dabba Marbles (median) elements and results of Bead F.no. 60833 from Ba ja. 5 Chemical composition of "diverse" beads. 6 Comparison of materials by functional types discovered in CG7, Loc. C1:46. 7 Detailed measurements and estimations of the MOP ring. 8 Metric values of the main types found in the burial (GN). 8 Estimations of the total length of the ornament through the measurements of the lengths of beads and the estimation of the unmeasured beads. 9 AFNOR measurement chart of actual children of both sexes between seven and nine years' old. 9 Estimations of the total length of the ornament through the measurements of the lengths of beads and