

INDEX

- Abu Hureyra (Syria) 184
Acorns 177-178. 183-184. 186-187. 417. 432. 491. 493.
516. 521-524. 527. 529. 531. 534-535. 537
cupules 177-178. 183. 186
Activity areas 99. 111. 383. 481. 501. 512. 536. 558
Aeolian dust 93-97. 505. 508. **544**
silt 61. 93-97. 508
blown sand **130**. 138. 140
Afalou Bou Rhummel (DZ) 387. **389**. 392-393. 398. 430.
477-478. 489. 536-537. 540. 547
Age profiles (game species) 309. **311**
Aïn Kéda (DZ) 392
Aïn Kéda point **339**. **353**. **370-371**. 376-**377**. 392-393.
539
Aïn Mistehiya (DZ) 207
Aïn Safsaf (Tafoughalt) 5. 22
Alabastrina soluta **216-218**. **220-222**. 224-230. 232. 521
Alboran Sea 96. 165. 200. 231-233. 503-504
Alcelaphines 239. **243-244**. **253**. 257. 270. 275. 306-307.
509
Allerød 505
Altitudinal effects, zonation 5. 22. 186. 327. 334. 507-
508. 511. 536
Amazighe 2. 4. 516. 523
Amphibians 332. 334
Aridity (climate) 94. 96. 198. 202. 331. 493. 504. 506.
509-511. 513. 541
Artefacts
bone 10. 31. 33. 290. 308. 395-419. 446. 515. 530-
531. 547-548
burnt 1. 75. 77. 138. 151. 304. 332. 334. 371. 381.
382. 384. 397. 446. 528. 530. 547. 556-557. 566. 568.
571. 573
other stone (see Grinding implements)
marine shell 224. 228. 420-427. 446. 457. 463. 466.
477. 479. 519. 540. 558
ostrich eggshell 143. **147**. 149-150. 321-323. 328.
390. 393. 446. 516. 530. 540. 557. 559
struck lithic (see also Struck lithic Phases; Raw materi-
als) 16. 26. 31. 33. 43. 68. 75-**76**. 97. 112. **146**. 152.
211. 224. 290. 332. 335-393. 397. 413. 419. 446. 459.
501-502. 512. 515. 528. 530. 533. 536. **544**. 547. 548.
556-559. 561. 564. 566. 568. 571
Aterian (see also Middle Stone Age) 12-13. 17-18. 31-32.
39. 48-50. 443. 446. 549-550
Atlas mountains 2. 7. 94. 155. 328. 504. 508. 511
Aoudad (see Barbary sheep)
Barbed blade/lets 46. 338-340. **351-355**. 357. **360-361**.
363. 365-**366**. **370-371**. 375-378. 384-386. 388-393.
466. 514. 545-546. 556-558. 561. 569
Barbary ground squirrel (*Atlantoxerus getulus*) 331. 510.
541
Barbary partridge (*Alectoris barbara*) **314-315**. 320-**321**.
329. 520
Barbary sheep (*Ammotragus lervia*; aoudad, arrui) 8. 146.
150. 153. 239-240. **243-244**. 247-**253**. 255-**259**. 261-
270. 273-**278**. **280-285**. 287-290. **292-293**. 295-296.
298. 300-301. 303-310. 312. 417. 434. 443. 450. 456-
457. 465-466. 476-477. 492-493. 520. 523-526. 527.
542. **544**. 547-548
Basketry 98. 171. 180. 183. 186-187. 204. 410. 418. 516.
535. 537. 547
matting 101. 190. 204. 417. 518. 535
Bayesian modelling (radiocarbon) 59. 61. 144. **146**. 148
Beni Snassen uplands/highlands/mountains 2-4. 7-8. 21.
94. 155. 159. 163. 182. 186. 217. 232. 244. 313-314.
323. 325. 327-329. 479. 507. 511. 516. 524. 527. 539
Birds 19. 141. 313-330. 498. 520. 522. 532. 542. 546.
571
Bioturbation (biomixing) 21. 51. **62-63**. 71-72. 75. 78. 93.
138. 390. 549. 551. 557. 559-560. 567. 569. 570
Blondeau, Révérend Père Bienvenu 10-12. 15. 34. 443.
518
Bølling 503. 505. 510. 541
Bou Zabaouine (DZ) 398
Bovid 150. 253. 259. 546
Bovines 239. **243-244**. 253. 258-259. 262. **269-270**. 275-
278. 287-289. 296. 298. 300-301. **303-304**. 306-308.
450. 465. 476. 506. 509. 520
Breastfeeding 491. 494-495. 534
Broad Spectrum Revolution (BSR) 237. 497-498. 500. 538.
542-543. **544**. 548
Brown Layer (see *Niveau IX* [Roche])
Buffering (environmental) 511
Burial markers 470. 480. 519. 536
"Blue stones" 459. **470**. 477. 519-520. 536
Burials (human) and mortuary behaviour 1. 16. 18-19. 34.
44. 46. 58. 111. 150. 169. 209. 234. 317. 324. 326. 329.
372. 376. 378. 397. 427. **432**. 438. 443-483. 491. 493.
495. 501. 515. 517-520. 536-537. 540. 545. 571
Burnt bone **118**. **120-122**. **124**. **128**. **131**. **134-136**. 138-
141. 212. 214. 237. 240-**242**. 263-**264**. **269-270**. 289-
290. 292. 304. 308. 332. 334. 397. 555. 557. 571
Burnt carbonate stone (see Pyrolithics) 1. 75. 77. 79. 89.
102. 106. 528. 553. 557. 569-570. 573
Burnt shell 110. **118-121**. **136-137**. 139-141. 183. 226.
332. 516. 563
Bushman Rock Shelter (South Africa) 209
Butchery 150. 240-**242**. 244. 248-**251**. **253**. 255. 257-
263. 268-270. 276. **279-283**. 285-289. 298-300. 306-
308. 325. 520. 526-527. 529

- Calibrated radiocarbon dates 1. 144. 146-150. 343
- Calcite veins 23
- Capsian 1. 37. 184. 190. 207-208. 312. 328. 393. 480. 484. 486
- Canids 150. 240. 269-270. 275. 278. 288-289. 303-304. 306-307. 466. 476. 520. 526. 538
- Carbon isotopes 491. 493
- Carbonate (neo-sedimentary) 1. 4. 21-23. 25. 27. 48-50. 56. 59. 61-62. 64-68. 71. 73-75. 77. 79-80. 82-85. 89. 95. 102. 106. 138. 528. 549-550. 552-553. 557-558. 569-573
- Caries 184. 187. 417. 485-486. 488-489. 537
- Cedar (*Cedrus* sp.) 147. 158-159. 162-163. 165-166. 170. 504. 510
- Cemetery 18. 27. 156. 166-170. 187. 396. 480. 517-519. 536. 541. 544. 546
nécropoles I & II 444-446. 454. 471-473. 480-482. 553
- Central place/base camp 499. 525-526. 532-533. 536
- Ceramic (see Clay, heated)
- Cernuella globuloidea* 216. 218. 224-228. 230. 232
- Chaîne opératoire* (tool manufacture) 388. 395. 398. 419. 514
- Charcoal (wood, fuel) 124. 126-127. 143. 155-171. 182-183. 187. 189. 203. 233. 509-511. 522. 529. 543. 544
- Charred seeds (see also Acorns, Pine nuts, Legumes) 146. 171-187. 432. 489. 515. 535. 537. 544. 578-572
- Clams, bittersweet (*Glycymeris nummaria*, also *Pectunculus violacescens*) 420. 424. 426-427. 466
- Clay, imported 133-134
- Clay, heated 101. 429-430. 516
ceramic 430. 547
- Climate (current in the vicinity of Taforalt) 4. 93. 155. 159. 504. 506
- Climate, past 19. 93. 95-97. 159. 165. 170. 200. 231-233. 491-493. 503-511. 521. 527. 532. 544. 546
- Columnata (DZ) 386-387. 389. 393. 398. 478. 510. 514. 546
- Conglomerate, cemented 24-26
- Continuity/discontinuity (occupation) 19. 512-513. 536
- Cooking 31. 102. 108. 171. 183-184. 186. 204. 226. 234-235. 290. 308. 417. 516. 521-522. 535. 547
- Coprolites (fossil dung) 51. 123-124. 126. 131. 138-140
- Cores (marine) 93. 96. 190. 503-505. 507
- Cores (lithic artefacts) 8-9. 72. 105-106. 338. 341-345. 359-360. 362-365. 367-369. 372-374. 378. 380-383. 389. 392. 419. 479. 514. 517. 533. 558. 571
- Correlation, stratigraphic (intra-site) 49. 53-59
- Courty, Marie-Agnès 21. 50-51
- Cryptotephra (see Tephrochronology) 152-153
- Curiosities (manuports) 438-441. 531
- Cut marks 240-241. 249-250. 253. 255-263. 268. 276-277. 279-291. 297-298. 300. 304. 306. 317-320. 323-324. 326. 520
on human bone 473-474. 518
- Dansgaard-Oeschger 503. 505
- Dar es-Soltan/Dar-es-Soltane (MA) 11. 322. 479. 546
- Data limitations 500-503
- Debitage 75. 212. 214. 343. 345. 359-360. 363-365. 367-369. 374-375. 380. 397. 536
- Demography 538
- Dental cementum 265. 309-312. 531
- Dental evulsion 19. 443. 462. 466-467. 477-479. 485-486. 488-489. 518. 539
- Deposition rates 59-61. 140. 153. 181. 502. 512-513
- Diagenesis 143. 195. 201. 309-310. 509
- Diet breadth 522. 526-527. 535. 540
- Diet, isotopic evidence 491-496. 523. 533. 540
- DNA (aDNA) 328. 447. 468. 470-471. 519. 536
- Domerian Limestone 21. 26. 81-82. 336. 337
- Domestication (lack of evidence for) 208. 497. 541-542
- Dose rate (radioactivity) 78. 143. 152-154
- Dupotetia dupotetiana* 217-218. 220-222. 224-230. 232
- Eagle (*Aquila* sp.) 315. 318-320. 323. 327. 329
- Efficiency (human behaviour) 499. 524. 527-528. 530-532
- El Harhoura 2 (MA) 313. 479
- El Khenzira (MA) 11. 546
- El Onçor (DZ) 389. 393
- Environmental constraints/triggers/forcing 20. 497. 540-541
- Epipalaeolithic 16. 18. 35. 46. 48-50. 169. 184-185. 208. 218. 231. 323. 386. 399. 478. 497. 545-546. 548. 550-553
- Equids 239. 243-244. 250-251. 253. 258-259. 262-264. 266-267. 269-270. 274-275. 278. 280. 282-283. 286. 288-290. 292. 295. 298. 300-301. 303. 306-308. 397. 493. 520
- Escargotière* 1. 18. 37. 231. 391. 392. 480. 546
- Esparto (*Stipa tenacissima*; alfa, awri) 172-175. 180. 186-187. 198. 204. 417. 516. 535. 579-582
- Ethnographic parallels 164. 177. 180. 186. 235. 325. 395. 398. 401-402. 407. 410. 412-413. 416-417. 419. 499. 515-515. 534. 542
- Europe 3. 17. 152. 184. 207. 209. 215. 285. 324. 327. 398. 418. 483-484. 505. 510. 519. 541. 543. 545
- Evulsion (dental) 19. 443. 462. 466-467. 477-479. 485-486. 488-489. 518. 539
- Expedient tools (stone, bone) 387. 392. 536
- Experiments (heating) 87. 103. 106. 108. 516
- Experiments (mollusc cooking) 232-235
- Ferembach, Denise 443. 445-446. 517-518
- Fire (broadcast) 542
- Firewood 159-160. 163-164. 166-170
- Fish 118. 124. 131. 138. 140. 386. 398. 497. 520-522. 535. 542. 546. 571
barbel 520. 532
- Food preparation 183. 418. 524. 532. 534-535. 537
- Foraging theory (human; see Optimal Foraging Theory)
- Fossils 10. 21-23. 133. 143. 189. 191. 205. 213. 265. 313. 317. 320. 327. 329. 423-424. 438. 522. 540
- Franchthi Cave (Greece) 184-185
- Freshwater species (fish, mollusca) 211. 217. 220-222.

224. 232. 235. 393. 420. 424. 426-427. 465. 509-510. 520. 532
- Fruit 171. **173-174**. 179-184. 186. 204. 331. 551. 521. 531. 534-535. 537-538. 547. 579-582
- Gazelle (*Gazella* sp.) **146**. 240. **243-244**. **250**. **252-253**. 255. **258-259**. 262. **264**. 266-270. **274-276**. **278-280**. 286-287. 289. **292-298**. 300. 303. 306-308. 321. 416. 479. **493-494**. 498. 510. 520. 531-532. 536. 546
- Gender, division of labour 533-534
- Genetic evidence (human; see DNA)
- Ghar Cahal (MA) 389. 392. 545
- Gnawing marks 241-**243**. 268-270. 287. 290. 296-300. 308. 520
on human bone 464
- Gorham's Cave (Gibraltar) 140
- Grasses 172-**174**. 180. 183-187. 189-191. 193. 195. 198-200. 203-204. 244. 271. 417. 432. 492. 509. 511. 509. 515-516. 520. 524. 529. 535. 547. 554. 579-582
- Great bustard (*Otis tarda*) **315-320**. 325-329. **493-494**. 496. 520. 532. 540
- Greenland stadials and interstadials 96. 182. 201-202. 232-233. **503-505**. 510. 527. 541. 543. **544**
- Grey column (first GS sampling) 172. 177. 380. 579-581
- Grey Series (GS) 18-19. **28-31**. 33-36. 38-39. 47. 50-51. **53**. 56-59. 61. 75. 77-82. 85-86. 97-112. 115. **119**. **122**. 139-141. 144. 146. 148. 150-**151**. 153. 159-160. 162. 165. 171-**177**. 182. 193. 199-205. 210-214. **216**. 219. 224-228. 230. 232-235. 237. 241-**243**. 255. 298. 300. 306-307. **310**. 331-334. 337. 340-341. **364**. **366**. 380-381. 383. 387. 395. 397. 416-417. 421. 425-426. 429. **435**. **437-439**. 451. 472-473. 477. 481. 500-502. 510-516. 520-522. 525-536. 538-541. 543. 546. 549. 553. 555-556. 560-562. 564-568. 571-572. **573-578**
- Grinding implements
grindstones 431-438. 459. 466. 489. 515-516. 519. 535. 545. 547-548
mortars 431-438. 441. 466. 476
pestles 431-438. 441. 466. 476. 516
- Grotte des Contrebandiers (MA) 96. 383. **389**. 392. 441
- Grotte du Chameau (Zegzel valley) 230. **336-337**
- Group size, population levels (hunter-gatherer) 538-539
- Hafting (artefact) 386. 415. 419. 514-515
- Hartebeest (*Alcelaphus* sp.; kongoni) **147**. 244. 257. 270. **280**. 289. 303. 307. 416. 457. 509. 520
- Hattab II Cave (MA) 190. 479
- Haua Fteah (Libya) 184-185. 207. 309. 311. 327-328. **389**. 506
- Health 534. 537
oral 20. 187. 485. 489. 491. 537
nutrition 492
- Hearths (burning/combustion events) 18. **30-33**. 35-36. 43-46. 49. **58**. 65. **69**. 79. **84-85**. **91**. 97. 101-102. 111. 127. 138-141. 150. 158. 169. 200. 202. 224. 235-236. 241. 308. **333**. 380-382. 397. 430. 529. **553-560**. **562**. **565**. **567-572**
- Heinrich Events (HE1, HE2) 95-97. 160. 182. 200. 503-**505**. 508-509. 511. 513. 527. 540. **544**
- Heinrich Stadials (HS1, HS2) **503-505**
- Helix aspersa* var *maxima* 218
- Hoopoe (*Upupa epops*) **314-315**. 320. 327. 329
- Horn cores 240. 270-272. 275. 277-**278**. 287. 298. 301. 303-**305**. 443. 446. **448**. 450. 453-454. 456-457. 459. 465-467. 469-471. 476-477. 479-480. 519. 520. 558
- Human burials 1. 16. 18-19. 34. 37. 44. 58. 111. 143. 150. 156. 169. 209. 322. 324-326. 329. 425. 427. 443-483. 491-493. 495. 501. 503. 515-517. 520. 537. 539-540. 571
- Humid Phase (Early Holocene) 27
- Humidity (climate) 19. 25. 27. 93. 96. 159. 162. 165-166. 182. 187. 200-201. 224. 232. 334. 492. 504-506. 508-511. 527. 540-541. 546
- Iberomausian (see also Later Stone Age)
culture/behaviour 208. 211. 233-234. 304. 306. 308. 417-418. 441. 486. 520. 522-546. 548
deposits 12. 17-19. 29. 31-32. 35. 37. 143-144. 148. **151**. 153. 311. 334. 500. 513. 515-516. 521-522
industry 10. 19. 29-30. 152. 309. 335. 340. 386. 389. 391-393. 395. 398. 410. 412-413. 427. 430. 547. 549. 557. 561. 569
people/burials 33-34. 204. 209. 443-444. 474. 477-482. 484
period 1. 4. 18-19. 149-150. 205. 207. 213. 235. 237. 503. 508. 512
- Ifri el-Baroud/Ifri n'Baroud/Kelif el Boroud (MA) **388-389**. 391-392. 479. 546-547
- Ifri n'Ammar/Ifri n'Amr/Ifri Moussa (MA) 96. 207-208. **388-392**. 430. 441. 478-480. 519. 546-548
- Ifri Oudadane (MA) 184. 207-208. 337. 546
- Individuals (specific Taforalt burials)
Individual 1 301-303. 318. 397. 447-451. 453-454. 466-469. 473. 475-**477**. 485-486. 488. 519
Individual 2 318. 447. **449**. 451. 466-**470**. **474-476**
Individual 3 318. **448**. 451-453. 456. 465. 467-469. 473. 475-476. 483. 485-486. 488
Individual 4 150-151. 318. 447-**448**. 451-454. 466-469. 471. 473. 475-476. 494
Individual 5 150-151. 303-304. 317. **448**. 451. 453-456. 466. **468-476**. 483. 485. 488. 494
Individual 6 151. 426. **448**. 456-**458**. **468-469**. 471. **474**. 477. **494**. 519
Individual 7 151. **456-458**. **468-469**. 471. 475. 477. 480. **494**. 517
Individual 8 432. **434-435**. **448**. **456**. 459-460. **468-471**. 476-477. 494. 519
Individual 9 151. **435-436**. **456**. 459-460. 469. 471. **474**. **477**. **494**. 519
Individual 10 **448**. **455**. 462-464. 468-**470**. **474**. 494. 485-486. 488
Individual 11 **456**. 461-464. **468-470**. 477. **494**
Individual 12 303. 425. **456**. 461. 463. **468-470**. 473. 477. **494**. 519

- Individual 13 301. 317-318. **448**. 462. 463-471. 476. 485-486. 488. **494**
- Individual 14 151. 163. 301. 303-304. 318. 326. 425. 432-**433**. **435**. **448**. 465-472. 475-476. 483. 485-486. 488. 494. 519
- Intensification (economic) 20. 234-235. 237. 417. 441. 497-498. 500. 527-531. 541
- Jerky 535
- Jirds (*Meriones* sp.) 331. 504. 509
- Jodin, Andrée 16. 27. 43-45. 439. 444
- Juniper (*Juniperus/Tetraclinis*; araar, thuja) **146-147**. **149**. 155-163. 165-166. **168**. **170-177**. 179. 181-184. 187. 509-511. 521-523. 536-537. 541. 543. 579-582
- Knowledge, local (hunter-gatherer) 380. 499. 508. 526. 533. 536
- Kehf el Hammar (MA) **389**. 477. 505. 546
- Lagomorphs 331. 498. 510. 520. 532
- Lakes, Ifrah, Isli (MA) 504
- La Mouillah (DZ) 391. 441. 546
- La Mouillah* points **339-340**. **353**. 359-361. **363**. 365-**366**. 371. 376. 378. 385. 390-391. 514-515
- Last Glacial Maximum (LGM) 96-97. 165. 200. 235. 323. 491. 504-506. 508. 513. 560
- Later Stone Age (LSA; see also Iberomausian) 1. 12. 16-17. 25-26. 31. 33-36. 45-46. 48-51. 53-54. 56-59. 61. 64-65. 72. 81. 96-97. 106. 117. 141. 143-144. 153. 156. 159-160. 162. 171. 182. 200-205. 208. 226. 230. 239. 241. 243. 263. 265. 268. 270. 298. 300. 306-312. 314-315. 320. 329. 334. 343. 367. 379. 386. 390. 418-420. 426. 440-441. 483-484. 500-501. 503. 508-509. 513. 522-546. 551. 568-570
- Lateralisation (lithic artefacts) **350**. **355**. **358**. 367. 385-389. 391. 514
- Legumes (wild seeds) 172-**174**. 180. 182-187. 521. 531-532. 579-582
- Lenticular bedding 54. 61. 72. 78. 392. 501. 549. 554. 567. 572
- Levant 20. 323. 391. 398-399. 542-543. 545
- Limestone
- dolomitic 5. 21-23. 62. 80. 82. 84. 106. 387. **436**
 - dolostone 80-82. 84-86. 88. 102-106. **108**. 111. 529
 - lithographic stone 21. 26. 35. 80-82. 336-337. 387
 - calc-limestone 82. 84. 102. 140. 337. 529-530. 534
- Lithics column **112-113**. 562
- Lithogenesis (geogenic and anthropogenic sedimentation processes) 61-93
- Lithostratigraphy 60. 152
- Luminescence dating (optically-stimulated luminescence (OSL), thermoluminescence (TL)) 78. 143. 150-154. 479. 509. 551. 556. 559-560. 567. 569-570
- Magnetic sediment properties 86. 543. 571
- Mammals
- large game 239-308. 523. 527. 540. 548
 - small game 331. 510. 532
- Marine cores (see Cores)
- Marion, Jean 10
- Marrow procurement 241. 249. **251-254**. 257-263. 268. 277-**280**. 285-286. 288-300. 307. 527
- Matting (see Basketry)
- Mechta el Arbi (DZ) 339. **353**. **377**. 392. 480
- Mediterranean, climate and bioclimatic zones 4. 93. 155. 159. 162. 165. 170. 198. 395. 491. 493. 504. 506-507. 510. 521. 532. 539
- Mesolithic 140-141. 208. 285. 519
- Micromammals (rodents, insectivores; see also Lagomorphs) 331. 538. **544**
- Micromorphology (sediment) 117-141. 195
- Microburin, technique and products 338. 340-**342**. **350**. 352. 358-359. 360-**363**. 365. 367. 369. 372. 374-376. 378. 380. 384-386. 390-391. 393. 514-515. 557
- Microliths 98. 338-340. **351-353**. 355-**359**. 361. 365. 367. 369. 371-372. 375-376. 378. 382-**389**. 391-393. 512. 514-515. 545-546. 548. 561
- Midden, hyper-midden 1. 35. 37. 46. 97. **136**. 139-141. 190. 195. 201. 207-212. 217. 224. 226. 232-235. 392. 481. 501. 521. 536. 546. 547. 554-555
- Middle Stone Age (MSA; see also Aterian) 1. 12. 17. 23. **30**. 32. 34. 39. 46. 48-50. 53. 58-59. 72. 97. 141. 148. 159. 162. 198. 200. 204-205. 209. **225**. 235. 314. 320. 322. 334. 378. 418. 440-441. 545. 550-551. 561. 569. 571
- Minerals (curated; see also Ochre) **432**. 438-441
- Mobility (human individual, hunter-gatherer group; residential, logistical; circulating, radiating) 228. 484-485. 489. 498-499. 531-533. 536. 538. 541-542. 546
- Mobility (prey) 525-526
- Mollusc column, master (MMC) **77**. **99**. **101**. 109-110. 112. 172. **174**. 177. 182-183. 191. 193. 195. 197. 211-**214**. 218-**220**. **223-226**. 228. 231. 234. 300. 306. 331. **338**. 341. **343**. 427. 510-511. 514. 528-529. 562-568. 581-582. 586-594
- Mollusca, marine 140. 207. 209. 211. 224. 228. 235. 420-427. 466
- Mollusca, terrestrial 1. 19. **30**. 36. 140. 207-237. 446. 521. 542. **544**. 546. 553. 558. 565. 567
- Moorish gecko (*Tarentola mauritanica*) **333-334**. 510. 541
- Mouflon (see Barbary sheep)
- Moulouya, river and valley (gravels, terraces, travel route) 2. 5. 61. 218. 228-233. **336-337**. 382. 387. **430**. 507. 521. 533. 539
- Natufian 323. 398. 400. 418. 498. 545
- Nécropole I, II* (see Cemetery areas)
- Neolithic 20. 27. 37. 141. 184. 208-209. 226. 231. 328. 398-399. 478. 484. 486. 489. 493. 498. 541. 546
- Nerja Cave (Spain) 184. 207-208
- Niche-construction 541-543
- Nitrogen isotopes 491-496
- Niveaux* (Roche stratigraphy and cave geography) 29. 32-50. 57. 59. **210**. 211. 332. 396. 397. 421. 425. 438-439. 501. 517. 520. 540. 549-550. 553. 572

- Niveau C* (Roche) 32-33. 36. 38-39. 43-45. 396-397. 439. 517
- Niveau IX* (Roche) (Brown Layer) 36. 39. 45. **58-59**. 112. 421. 425. 466. 469. 572
- Nutrition (value; availability of carbohydrates, lipids and proteins; calories) 178-180. 183-184. 187. 233-234. 487-488. 493-495. 522-524. 526-527. 531-532
- Oak (*Quercus ilex*, *Quercus* sp.) **146-149**. 155. 159-160. 162-163. 165-**168**. 170. 172-**175**. 177-178. 181-182. 184. 271. 417. 504. 509-511. 521-523. 536. 543. 579-582
- Ochre, red (pigment, haematite) 31-32. 324. 372. 419-420. 424-426. **431-432**. 435-441. 458-459. 463. 466. 471. 473-480. 516. 518-520. 535. 537. 540. 547-548
- Ohalo II (Israel) 185
- Older Dryas, Oldest Dryas 503. 505. 510. 541
- Open-air sites 1. 98. 207. 390. 441. 478
- Optimal Foraging Theory (OFT) 498. **543-544**
- Organic matter (uncharred) 44. 51. 112. 189. 439. 503-504
- Ostrich (*Struthio* sp.; see also Artefact; ostrich eggshell) 147. 149. 313. 315. 318-323. 325. 327-329. 390. 393. 446. 516. 520. 522. 530. 540
- Otala punctate* **216-217**. **220-222**. **224-225**. 227-229. 232. 521
- Ouchtata (Tunisia) **389-390**
- Ouchtata retouch 339-340. **352**. **354-361**. **366**. 371. 376. 385. 389-390
- Oyster (*Ostrea edulis*) 228. **420**. 425
- Palaeoenvironment (Taforalt area) 17. 158-162. 182. 190. 200-202. 231. 243-244. 270-271. 332. 506
- Palm (*Chamaerops humilis*) 172. 190. 193. 204
- Patchiness (ecology, resource availability, patch choice) 99. 508. 536. 543
- Pemmican 524
- Periwinkle (*Littorina* sp.) **420**. 423. 427. 558
- Photography, infra-red 36
- Physical anthropology 41. 483-489. 491-492
- Phytoliths **122**. 139. 141. 171. 189-205. 432. 509-511. 515-516. 535. **544**. 558. **581-594**
- Pine (*Pinus halepensis*, *Pinus pinaster*, *Pinus* sp.) **146**. **148-149**. 155. **157-160**. 162. 164. **168**. 171-175. 178-179. 182. 184. 417. 523. 579-582
- Pine cones (bracts) 88. 164. 166. 170. 179. 186. 535. 542
- Pine nuts (see also Pine cones, bracts) 177. 179. 183-184. 186-187. 417. 521-524. 527. 531. 534-535. 537
- Pigment (see Ochre, red)
- Pinchon, D. M. 3. 6. 8
- Pistachio, terebinth (*Pistacia terebinthus*) 172-**175**. 177. 179. 181. 183-184. 187. 521. **523**. 536-537. 579-582
- Pits (structural features) 10. 36. 79. 88. 98. 235. 531. 432. 443-445. 453-454. 456. 466. 468-469. 471. 475-476. 480. 503. 518-519. 535. 537. 547. 565-566. 572
- Plains (coastal plain, Triffa; inland plains, Angad; etc.) 2. 4. 159. 162-163. 198. 217. 230. 232. 244. 271. 306. 313. 325. 327. 329. 507-509. 511. 531-532. 540
- Plant remains (charred) 1. 19. **77**. 100. **122**. 139-140. 143. **146**. 156. 164. 166. 169. 171-187. 198. 204. 213. 227. 234-136. 137. 489. 503. 509-510. 515-516. 521. 528-529. 535. 555. 579-582
- Pollen 96. **122**. **124**. **131**. 139-140. 165. 169. 171. 189. 504-505. 511. 592
- Population (see Demography)
- Pre-Bølling 503. 510. 541
- Predator/prey behaviour 525-526. 538
- Productivity 181-182. 241. 244. 341. **343**. 359. 362. 367. 374. 380-381. 527-533. 539-540
- Pyrolithics 79-93. 101-112. 140. 337. 387. 516. 528-530. 533-534. 537. 541. **544**. 547
- Rabat, *Musée d'Archéologie* 16-17. 396. 434. 501
- Radiocarbon dates (original technique (beta-counting); accelerator mass spectrometry (AMS)) 17-19. 41. 43. 48. 59. 61. 75. 95-97. 114-115. 143-152. 156. 169. 187. 200. 211. 218-219. 328. 332. **343**. 387-393. **468**. 470. 472. 479. 491-493. 502. 517. 549
- Rainfall (meteorology, climatology) 5. 7. 22. 96. 159. 232. 503-504. 506-507
- Rammadiya* (see *Escargotière*)
- Raynal, Jean-Paul 16-17. 21-22. 27. 48-51. 149. 549-550. 552-553. 559. 564. 571-572
- Red-billed chough (*Pyrrhocorax pyrrhocorax*) **314-315**. 318-320. 323-324. 327. 329
- Refuge/refugium (ecological) 182. 327. 507-508
- Reptiles 101. 331-334. 507. 509. 522. **544**
- Resource rank 498. 523-524. 527. 546
- Resource depression/depletion 498. 500. 524-528. 541-542
- Risk management 534-536. 539
- Ritual 166-167. 169. 322-323. 326. 329. 397. 438. 441. 470. 474-475. 480. 534. 536
- Roche, Abbé Jean **10**. 13-19. 21. 26-29. 31-51. 53. 57. 59. 79. 97. 111. 148. 210-211. 228. 233. 322-323. 331-332. 340. 383. 385. 387. 396. 398. 423-427. 434-440. **443-447**. 471-475. 480-481. 485. 489. 500-501. 513. 515-517. 520. 522. 531. 539-540. 549-551. 553. 556. 571-572
- Ruhlmann, Armand **10-18**. 21. 27-39. 48. 53. 56-57. 59. 79. **93-94**. 148. 152. 432. 434. **436**. 438. 443. **444**. 472. 479. 500. 518. 546. 568-570. 572
- Ruhlmann north trench **11-13**. 29-34. **36**. 39. 57. 152. 432. 438. 443-444. 518
- Ruhlmann south trench **10-12**. **15-16**. 29-**30**. 33. 35. 38. 56. 59. **93-94**. 148. 572
- Sahara Desert 4. 93. 95-96. 199. 313. 315-316. 328. 504-505. 542
- Sampling 17. 19. 43. 48-49. **54-56**. 63. **79**. 87. 98. 151-152. 171-172. 187. 191. 201. 211. 228. 298. 304. 320. 381. 489. 500-501. 543. 549. 553. 556. 559-560. 562. 567
- Scrub (maquis) 159. 163-167. 170. 232. 244. 271. 314. 329. 509. 521. 546

- Seasonality (meteorological, climatic) 506. 521. 531-532
 Seasonality (occupational, residential) 209. 265. 267-268. 294-296. 308-312
 Sectors (Taforalt plan) 52
 Sedentism 20. 209. 396. 418. 489. 498-499. 535-539. 542-543
 Sedimentary characteristics 23-141. 500-503. **544**. 549-**578**
Sépultures (burial groupings, real and incidental) 43. 396. 445. 473-474
 Shells (see Mollusca)
 SIBE (*site d'intérêt biologique et écologique*) 7. 314. 524
 Sibudu Cave (South Africa) 141
 Sidi Abderrahman (MA) 11. 13
 Site formation processes 35. 187. 502-503. 518. 547
 Skins/hides (working, products) 101. 235. 289. 306-308. 321. 410. 417-418. 517. 521. 535. 537
 Souville, Georges, Archives (Université d'Aix-Marseille) 10. 12-14. 16. 34. 37-38. 40. 45. **445**
 Speleothem 23-27. 58. 62. 77. 80. 82. 86. 89. **102**-103. 106-108. 111-112. **118-129**. 138-141. 505. 507. 516. 528-529. 550. 552. 558. 561. 569-572
 Springs, springline 3-8. 21-24. 532. 539
 Stature (human) 483-484
 Steppe 165. 244. 271. 323. 325. 328. 504. 509. 520
 Storage 1. 98. 164. 178. 183. 186. 195. 204. 396. 417-418. 501. 524-525. 531-532. 534-537. 539. 543. **544**. 547
 Struck lithic Phases
 Lower Phase **335**. 337-**338**. 341-369. 371-372. 374. 376. 378-391. 512. 514-515. 530. 531-533. **544**
 Transitional/Mixed Phase **335**. 341-**342**. **344-351**. **353**-361. 365. 381. 385. 390. 512. 514. **544**
 Middle Phase **335**. **338**. 341-**351**. **353**-369. 371-372. 374-376. 378-387. 390-391. 472. 512-515. 517. 530-531. 533. **544**
 Upper Phase **335**. **338**. 341-**351**. **353**-**359**. 363. 365. 367-372. 374. 376. 378-387. 391-393. 472. 512. 514-515. 517. 530-531. 533. 539. **544**
 Struck lithic Raw materials 26. 81. 228. 335-337. 341. 378-380. 383-384. 391-393. 427. 507. 515. 533. 539
 Subsistence base 497. 522. 524. 539
 Sub-Saharan Africa 313. 545
 Taforalt (Grotte des Pigeons), history of research 8-17
 Tafoughalt village 4-5. 7. 10. 22. 82. 327. 417. 443
 Taghit Haddouch (MA) 207. 217-218. 231. **389**
 Tamar Hat (DZ) 207-208. 235. 386-387. **389**. 398. 430. 441. 527. 540. 542. 545. 547
 Taphonomy, taphonomic factors 43. 138. 144. 152. 181-183. 189. 201. 226. 244-245. 248. 263. 307. 322. 332. 334. 337. 399. 410. 423. 447. 502-503. 528-529. 531. 547
 Tawny owl (*Strix aluco*) 315. 320. 329
 Taxonomic problems (mollusca) 217
 Taza Cave I (DZ) 477. 527
 Teeth (human) 464-467. 474. 479. 485-489. 518. 540
 Temperature (meteorology, climatology) 4. 19. 63. 93. 96. 102. 158. 162. 165. 190. 228. 232-233. 503. 506-507. 509-511
 Tephrochronology 143
 Territorialism (hunter-gatherer) 535
 Tghasroutte (Zegzel valley) 5. 24
 Tools (see Artefacts)
 Topography, topographic range 2-3. 313. 334. 506-508. 511. 526. 534. 539
 Tortoise (*Testudo* sp.) 332. 334. 520. 522. 548
 Trampling 99. 138-139. 181. 195. 226. 322. 367. 375. 502. 528
 Transition, MSA/LSA 1. 17. 48-50. 148. 160. 551
 Transition (boundary), Yellow Series/Grey Series 112-116. 219. 227. 235. 341. 381. 512. 548. **568**
 Travel, longer distance 232. 508. 523. 525. 540
 Travertine 21. 23-24. 50-51. 131. 504. 552-553
 Trophic levels 491-495
 Tusk shells (*Dentalium* sp.) 212. 420. 424-427. 457. 463. 531
 Typology (artefactual) 338. 340. 385. 392. 395. 398. 405. 411. 414. 419. 512. 514. 541
 Uranium series, dating 154
 Use-wear (artefact) 184. 240. 263. 300. 383. 385. 395. 398. 400-404. 407. 409-419. 424. 426-427. **431**. **435**. **440**-441. 515-516. 547
 Vanguard Cave (Gibraltar) **127**. 140
 Vegetation (C₃ and C₄ types) 189-191. 193. 195. 198. 200-202. 491-493. 509-511. 541. **593**
 Wash processes (lamination, colluvium) 61. 63. 66. 72. 77. **93-94**. 115. 138. 140. 152. 201. 502. 509. 552. 554. 570
 Water availability 93. 106. 186. 193. 202. 511. 539
 Woodland 166. 271. 314. 320. 327. 329. 510. 520. 524-525. 536
 Yellow Series (YS) 18-19. 29. 31. 33-**36**. **39**. 45-46. 48-50. 53. **55-56**. 59. 61-**62**. **64-68**. 71. **73-77**. 81. 87. 93-97. 106. 111-**118**. **123**. 138-141. 144. 148. 151-154. 159-162. 172-**176**. 193. 195. 198-205. 210-214. 219. 224-228. 231-232. 235. 237. 241. 243. 258. 306. **310**. 331-334. 337. 340-341. 364. **366**. 380-381. 439. 500. 502. 509. 512. 515. 520. 527-533. 546. 556-560. 564-568. 572. 579
 Younger Dryas (YD) 96. 162. 165. 202-203. 503-506. 510-511. 513. 520. 529. **573-578**
 Zegzel (river, valley and wider catchment, closed basins) 5. 7. 22-24. 26. 139. 141. **229**. **336**-337. 506. 520. 542-543
 ZooMS analysis (zooarchaeology by mass spectrometry) 395. 397. 413. 416. 419